



Alloy Machined Side-Eject Tine - .472MT x 11.187L x .555OD R1191481



Details

Alloy Machined Side-Eject tines remove a soil core which quickly exits the side of the tine through a precision machined slot. This slot is designed to avoid "plugging" that can occur using hollow tubular tines (especially the smaller diameters) in heavy soil conditions. R&R manufactures a wide selection of these side-eject tines machined from special high-carbon alloy steel solid bar and heat treated to RC45-48 in our own heat treatment facility. Very popular for the multiple tine holders which fit all greens aerators.

Replaces

R&R Products	R1191418
--------------	----------

Specifications

Manufacturer	R&R Products
A - Tine Type	Alloy Machined Side-Eject
B - Tine Mounting Dia.	.472 in (11.9mm)
C - Tine Length	11.187 in (284mm)
D - Tine Tip Outside (Hole) Dia.	.555 in (14mm)
E - Tine Tip Inside (Core) Dia.	.394 in (10mm)
F - Tine Wall Thickness	.078 in (2.0mm)

Fits Models

Wiedenmann Aerator

Amacron Golf & Turf

19 Tate Drive Kerang, 3579

+61 2 8011 1001 Toll Free: 1300 AMACRON

<https://amacron.rrproducts.com/>